SAFETY DATA SHEET

1. Identification

Product identifierB96801 KONK BEDBUG KLR ∪OM 350G 31110Other means of identification1000023941Product code1000023941Recommended usePESTICIDERecommended restrictionsNone known.Manufacturer/Importer/Supplier/Stributor informationManufacturer/Importer/Supplier/Stributor informationManufacturerCompany nameACUITY HOLDINGS INC. dba HREPAddress11627 178 STREET NWEDMONTON, AB TSS 1N6CanadaTelephoneGeneral AssistanceInegency phone numberEmergency - USEmergency phone numberEmergency - Outside USSupplierNot available.			
Product code1000023941Recommended usePESTICIDERecommended restrictionsNone known.Manufacturer/Importer/Supplier/Distributor informationManufacturerCompany nameACUITY HOLDINGS INC. dba AMREPAddress11627 178 STREET NWEDMONTON, AB T5S 1N6 Canada1-905 669-9876FemailNot available.Emergency phone numberEmergency - US1-866-836-8855 Emergency - Outside US	Product identifier	B96801 KONK BEDBUG KLR DOM 350G 31110	
Recommended use PESTICIDE Recommended restrictions None known. Manufacturer/Importer/Supplier/Distributor information Manufacturer Company name ACUITY HOLDINGS INC. dba AMREP Address 11627 178 STREET NW EDMONTON, AB T5S 1N6 Canada Telephone General Assistance 1-905 669-9876 E-mail Not available. Emergency - US 1-866-836-8855 Emergency - Outside US 1-952-852-4646 Emergency - Outside US	Other means of identification		
Recommended restrictions None known. Manufacturer/Importer/Supplier/Distributor information Manufacturer Company name ACUITY HOLDINGS INC. dba AMREP Address 11627 178 STREET NW EDMONTON, AB T5S 1N6 Canada Telephone General Assistance 1-905 669-9876 E-mail Not available. Emergency - US 1-866-836-8855 Emergency - Outside US 1-952-852-4646	Product code	1000023941	
Manufacturer/Importer/Supplier/Distributor information Manufacturer Company name ACUITY HOLDINGS INC. dba AMREP Address 11627 178 STREET NW EDMONTON, AB T5S 1N6 Canada Telephone General Assistance 1-905 669-9876 E-mail Not available. Emergency phone number Emergency - US 1-866-836-8855 Emergency - Outside US 1-952-852-4646	Recommended use	PESTICIDE	
Manufacturer ACUITY HOLDINGS INC. dba AMREP Address ACUITY HOLDINGS INC. dba AMREP Address 11627 178 STREET NW EDMONTON, AB T5S 1N6 Canada Telephone General Assistance 1-905 669-9876 E-mail Not available. Emergency phone number Emergency - US 1-866-836-8855 Emergency - Outside US 1-952-852-4646	Recommended restrictions	None known.	
Company name AddressACUITY HOLDINGS INC. dba AMREP 11627 178 STREET NW EDMONTON, AB T5S 1N6 CanadaTelephone E-mailGeneral Assistance1-905 669-9876 1-905 669-9876Emergency phone numberEmergency - US Emergency - Outside US1-866-836-8855 1-952-852-4646	Manufacturer/Importer/Supplier/	Distributor information	
Address11627 178 STREET NW EDMONTON, AB T5S 1N6 CanadaTelephoneGeneral Assistance1-905 669-9876E-mailNot available.1-866-836-8855 Emergency - US1-866-836-8855 1-952-852-4646	Manufacturer		
EDMONTON, AB T5S 1N6 CanadaTelephoneGeneral Assistance1-905 669-9876E-mailNot available.1-866-836-8855Emergency phone numberEmergency - US1-866-836-8855Emergency - Outside US1-952-852-4646	Company name	ACUITY HOLDINGS INC. dba	AMREP
CanadaTelephoneGeneral Assistance1-905 669-9876E-mailNot available.Emergency phone numberEmergency - US1-866-836-8855Emergency - Outside US1-952-852-4646	Address	11627 178 STREET NW	
TelephoneGeneral Assistance1-905 669-9876E-mailNot available.1-866-836-8855Emergency phone numberEmergency - US1-866-836-8855Emergency - Outside US1-952-852-4646		EDMONTON, AB T5S 1N6	
E-mailNot available.Emergency phone numberEmergency - US1-866-836-8855Emergency - Outside US1-952-852-4646		Canada	
Emergency phone numberEmergency - US1-866-836-8855Emergency - Outside US1-952-852-4646	Telephone	General Assistance	1-905 669-9876
Emergency - Outside US 1-952-852-4646	E-mail	Not available.	
	Emergency phone number	Emergency - US	1-866-836-8855
Supplier Not available.		Emergency - Outside US	1-952-852-4646
	Supplier	Not available.	

2. Hazard(s) identification

Health hazards Not classified.
Label elements
Signal word Danger
Hazard statement Extremely flammable aerosol.

Precautionary statement		
Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid release to the environment.	
Response	Collect spillage.	
Storage	Protect from sunlight. Do not expose to tempe	ratures exceeding 50°C/122°F.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1
Other hazards	None known.	
Supplemental information	None.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Naphtha (petroleum), Hydrotreated Heavy		64742-48-9	57.3
Isobutane		75-28-5	17.605

Chemical name	Common name and synonyms	CAS number	%
Propane		74-98-6	17.395
Piperonyl Butoxide		51-03-6	4.727
Pyrethrins		8003-34-7	0.5
Other components below reportable levels			2.473

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation	If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	

Suitable extinguishing media	Alcohol resistant foam. Powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.
General fire hazards	Extremely flammable aerosol.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Level 3 Aerosol.
	Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of

8. Exposure controls/personal protection

the SDS).

Components	Туре	Value
Isobutane (CAS 75-28-5)	STEL	1000 ppm
Pyrethrins (CAS 8003-34-7)	TWA	5 mg/m3
Canada. Alberta OELs (Occo Components	upational Health & Safety Code, Scl Type	nedule 1, Table 2) Value
Propane (CAS 74-98-6)	TWA	1000 ppm
Pyrethrins (CAS 8003-34-7)	TWA	5 mg/m3
Canada. British Columbia O Safety Regulation 296/97, as		s for Chemical Substances, Occupational Health and
Components	Туре	Value
Pyrethrins (CAS 8003-34-7)	TWA	5 mg/m3
Canada. Manitoba OELs (Re	g. 217/2006, The Workplace Safety	And Health Act)
Components	Туре	Value
Isobutane (CAS 75-28-5)	STEL	1000 ppm
Pyrethrins (CAS 8003-34-7)	TWA	5 mg/m3
Canada. Ontario OELs. (Cor	trol of Exposure to Biological or Cl	nemical Agents)
Components	Туре	Value
Isobutane (CAS 75-28-5)	TWA	800 ppm
Pyrethrins (CAS 8003-34-7)	TWA	5 mg/m3
Canada. Quebec OELs. (Min Components	istry of Labor - Regulation Respect Type	ing the Quality of the Work Environment) Value
Propane (CAS 74-98-6)	TWA	1800 mg/m3
		1000 ppm
Pyrethrins (CAS 8003-34-7)	TWA	5 mg/m3
ological limit values	No biological exposure limits noted t	or the ingredient(s).
propriate engineering ntrols	should be matched to conditions. If a or other engineering controls to main	0 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilatio ntain airborne levels below recommended exposure limits. I lished, maintain airborne levels to an acceptable level.
lividual protection measures,	such as personal protective equipr	
Eye/face protection	Wear safety glasses with side shield	ls (or goggles).
Skin protection		
Hand protection	Wear appropriate chemical resistant supplier.	gloves. Suitable gloves can be recommended by the glove
Other	Wear suitable protective clothing.	
Respiratory protection		se NIOSH mechanical filter / organic vapor cartridge or an

Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
-----------------	---	--

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

-	-
Appearance	
Physical state	Gas.
Form	Aerosol.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	-16.28 °F (-26.82 °C) estimated
Flash point	-156.0 °F (-104.4 °C) propellant estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	1.4 % estimated
Flammability limit - upper (%)	9.4 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	730.13 °F (387.85 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	0.694 estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Nitrates. Fluorine. Chlorine.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
Isobutane (CAS 75-28-5)		
<u>Acute</u>		
Inhalation		
LC50	Mouse	1237 mg/l, 120 Minutes
		52 %, 120 Minutes
	Rat	1355 mg/l
Naphtha (petroleum), Hydrot	reated Heavy (CAS 64742-48-9)	
Acute		
Dermal		
LD50	Rabbit	> 1900 mg/kg, 24 Hours
Inhalation		
LC50	Rat	> 5000 mg/m3, 4 Hours
		> 4980 mg/m3
		> 4980 mg/m3, 4 Hours
		> 4.96 mg/l, 4 Hours
Oral		
LD50	Rat	4820 mg/kg
Piperonyl Butoxide (CAS 51-	-03-6)	
Acute		
Dermal		
LD50	-	> 2000 mg/kg
Inhalation		
LC50	Rat	> 5.2 mg/l, 4 Hours
Oral		
LD50	Rat	> 2000 mg/kg
Propane (CAS 74-98-6)		
<u>Acute</u>		
Inhalation		
LC50	Mouse	1237 mg/l, 120 Minutes
		52 %, 120 Minutes
	Rat	1355 mg/l
		658 mg/l/4h
		-

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Serious eye damage/eye

irritation

Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

Peopiratory or akin consitization

Respiratory or skin sensitization	n	
Canada - British Columbia (OELs: Respiratory or skin sen	sitiser
Pyrethrins (CAS 8003-34-7)		Capable of causing respiratory, dermal or conjunctival sensitization.
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to	o cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity		
ACGIH Carcinogens		
Pyrethrins (CAS 8003-34-7)		A4 Not classifiable as a human carcinogen.
Canada - Manitoba OELs: c	arcinogenicity	
PYRETHRUM (CAS 8003-34-7)		Not classifiable as a human carcinogen.
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Piperonyl Butoxide (CAS 51-03-6)		3 Not classifiable as to carcinogenicity to humans.
Reproductive toxicity	This product is not expected to	o cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not likely, due to the form of the	he product.

12. Ecological information

Ecotoxicity	Very toxic	to aquatic life with long lasting effects.	
Components		Species	Test Results
Piperonyl Butoxide (CAS	51-03-6)		
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.0027 - 0.0043 mg/l, 96 hours
Pyrethrins (CAS 8003-34	-7)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia)	0.018 - 0.032 mg/l, 48 hours
Fish	LC50	Brown trout (Salmo trutta)	0.0165 - 0.0229 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient r	n-octanol / water (log Kow)	
Isobutane		2.76
Piperonyl Butoxide		4.75
Propane		2.36
Mobility in soil	No data available.	
Other advorse offects	No other adverse environm	ental effe

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

14. Transport information

TDG	
UN number	UN1950
UN proper shipping name	AEROSOLS, flammable
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Packing group	Not applicable.
Environmental hazards	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
This product meets the exemp	tion requirements and may be shipped as a limited quantity.
ΙΑΤΑ	
UN number	UN1950
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Environmental hazards	Yes
ERG Code	10L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo	Allowed with restrictions.
aircraft	
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Environmental hazards	
Marine pollutant	Yes
EmS	F-D, S-U
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not applicable.
Annex II of MARPOL 73/78 and the IBC Code	

IATA; IMDG; TDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

15. Regulatory information

Canadian regulations		
Controlled Drugs and Subst	ances Act	
Not regulated.		
Export Control List (CEPA 1	999, Schedule 3)	
Not listed.		
Greenhouse Gases		
Not listed.		
Precursor Control Regulation	ons	
Not regulated.		
International regulations		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable. Kyoto protocol		
Not applicable.		
Montreal Protocol		
Not applicable. Basel Convention		
Not applicable.		
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
Korea New Zealand	Existing Chemicals List (ECL) New Zealand Inventory	No No
	-	

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

Issue date	04-28-2017
Version #	01

	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Product and Company Identification: Alternate Trade Names